



Assembling Tools



Tool / Jig 9-2

- ▶ Tools to Fastening Bolts and Joints 9-2
- ▶ Tools to Fastening Bolts and Joints / Pipe Cutting Tool 9-3
- ▶ Cutting Tool 9-4
- ▶ Cutting Tool / Cutter / Deburring 9-5
- ▶ Wiring Tool / Pliers Tool 9-6
- ▶ Tube / Duct Cutting Tool / Measuring Tool 9-7
- ▶ Adhesives / Adjustment Tool / Jig / Static Solutions Parts ... 9-8



Quick Chuck Change

Quick Chuck Change Manual

Quick Chuck Change Manual (QM Type)

Tool Changer

Automated Hand Exchange System

Grip

Mini Cylinder

Accessories for Mini Cylinder

Container Cylinders

Accessories for Container Cylinder

Grippers

Rubber Material / Grip Pad

Suction

Suction Cups

Suction Stems

Pad in Pad

Vacuum Gripper

Air Ejector / Filter / Check Valve

Ultra Small Part Take Out

Vacuum Generator Unit

Cut

Air Nipper (Small-Medium)

Air Nipper (Large)

Frame / Module

Jungle Gym

Let's Joint

Rectangular Tube

Base Aluminum Material

Sliding Chuck

Pneumatic Components / Sensors

Pneumatic Components

Sensors / Multi AND Board

PCIO Communication Unit

Lightweight Parts Series

Frame / Section / Base Cylinder / Pad / Base Manifold

By Industry

Logistics / Packaging

Steel Metal Clamping

Water Fabrication

Assembling Tools

Tool / Jig

Information

Various Products Information



Tools to Fastening Bolts and Joints

Recommend assembly tools.

Tools to Fastening Bolts and Joints



Megadora Standard Screwdriver (+)

Order code No.	350352
TYPE	900-1-75

- Weight: 85g
- Blade size: No.1 (M2.0 ~ M2.6)



Megadora Standard Screwdriver (+)

Order code No.	350353
TYPE	900-2-100

- Weight: 100g
- Blade size: No.2 (M3.0 ~ M5.0)



Megadora Standard Screwdriver (-)

Order code No.	350354
TYPE	900-6-100

- Weight: 95g
- Blade size: 6.0
- Blade is almost straight.



Precision Screwdriver Set

Order code No.	197170
TYPE	TD-56

- Weight: 175g
- Blade size: (+)0.00/(-)2.3, 1.8, 1.2, 0.9
- Often used in precision equipment, etc. A screwdriver for turning small diameter screws.



Ceramic adjuster driver

Order code No.	350355
TYPE	9000-1.8-30

- Weight: 18g
- Blade size: (-)1.8
- Uses a zirconia ceramic chip that is non-inductive and non-magnetic. Ideal for adjusting coils and trimmers.



Electric screwdriver (adapter bits 5set)

Order code No.	284778
TYPE	220USB-5

- Weight: 160g
- Bit: ⊕ 1, ⊕ 2×2, ⊕ 3, ⊖ 6
- Cable, AC adapter for USB charging
- Quick tightening is done using an electric motor, and final tightening is done using a manual screwdriver. Comes with high brightness LED light.



Electric screwdriver (cable bit 1set)

Order code No.	284779
TYPE	220USB-1

- Weight: 160g
- Bit: ⊕ 2
- USB charging cable
- Quick tightening is done using an electric motor, and final tightening is done using a manual screwdriver. Comes with high brightness LED light.



Electric screwdriver Rigid Hex Bit (5 set)

Order code No.	061139
TYPE	GS5P-31

- Weight: 70.6g
- Opposite side (mm): 2.5/4.0/5.0/6.0
- Electric screwdriver (220 USB) for hex bit set.



Flat-shaped Ratchet Screwdriver

Order code No.	197169
TYPE	TD-76

- Weight: 98g
- High precision ratchet gear with magnet bit
- Magnetized bits make it easy to work in tight spaces.
- Accessories: Bits +1, +2, +3, -4, -6, Hex width across flats 2.5, 3, 4, 5, 6×18mm



Ball Point Wrench (Long Type)9-piece set

Order code No.	341075
TYPE	8309BP-L

- Weight: 375g
- 9 set(mm) : 1.5/2.0/2.5/3.0/4.0/5.0/6.0/8.0/10.0
- Wrench for hexagon socket head bolts. Diagonal rotation work is feasible for hexagon socket head bolts sized M1.6 to M12.



Ball Point Wrench (Long Type)H2

Order code No.	341077
TYPE	8300BP-L H2

- Weight: 3g
- One specification of 8309BP-L (Opposite side 2.0mm)
- Hexagon socket head bolts sized M2.5



Ball Point Wrench (Long Type)H2.5

Order code No.	341078
TYPE	8300BP-L H2.5

- Weight: 5g
- One specification of 8309BP-L (Opposite side 2.5mm)
- Hexagon socket head bolts sized M3



Ball Point Wrench (Long Type)H3

Order code No.	341079
TYPE	8300BP-L H3

- Weight: 9g
- One specification of 8309BP-L (Opposite side 3.0mm)
- Hexagon socket head bolts sized M4



Ball Point Wrench (Long Type)H4

Order code No.	341080
TYPE	8300BP-L H4

- Weight: 18g
- One specification of 8309BP-L (Opposite side 4.0mm)
- Hexagon socket head bolts sized M5



Ball Point Wrench (Long Type)H5

Order code No.	341081
TYPE	8300BP-L H5

- Weight: 31g
- One specification of 8309BP-L (Opposite side 5.0mm)
- Hexagon socket head bolts sized M6



Ball Point Wrench (Long Type)H6

Order code No.	341082
TYPE	8300BP-L H6

- Weight: 51g
- One specification of 8309BP-L (Opposite side 6.0mm)
- Hexagon socket head bolts sized M8



Tools to Fastening Bolts and Joints / Pipe Cutting Tool

Preferred item for EOAT assembling

Tools to Fastening Bolts and Joints



Ball Point Wrench Stubby (Long Type) 9-piece set

Order code No.	341076
TYPE	8209BP-L

- Weight: 361g
- 9 set(mm) : 1.5/2.0/2.5/3.0/4.0/5.0/6.0/8.0/10.0
- Wrench for hexagon socket head bolts. Diagonal rotation work is feasible for hexagon socket head bolts sized M1.6 to M12.



Ball Point Wrench Stubby (Short Type) H2.5

Order code No.	341083
TYPE	8200BP-L H2.5

- Weight: 7g
- One specification of 8209BP-L (Opposite side 2.5mm)
- Hexagon socket head bolts sized M3



Ball Point Wrench Stubby (Short Type) H3.0

Order code No.	341084
TYPE	8200BP-L H3

- Weight: 8g
- One specification of 8209BP-L (Opposite side 3.0mm)
- Hexagon socket head bolts sized M4



Ball Point Wrench Stubby (Short Type) H4.0

Order code No.	341085
TYPE	8200BP-L H4

- Weight: 16g
- One specification of 8209BP-L (Opposite side 4.0mm)
- Hexagon socket head bolts sized M5



Ball Point Wrench Stubby (Short Type) H5.0

Order code No.	341086
TYPE	8200BP-L H5

- Weight: 28g
- One specification of 8209BP-L (Opposite side 5.0mm)
- Hexagon socket head bolts sized M6



SMS Double open end spanner

Order code No.	187038
TYPE	SMS621H

- Weight: 640g
- Set content (mm) : 8*10/11*13/12*14/14*17/17*19/22*24



SNT thin spanner set

Order code No.	187039
TYPE	SNT-0550

- Weight: 290g
- Set content (mm) : 8*9/10*12/11*13/14*17/19*21



Open spanner set

Order code No.	197171
TYPE	TS-05

- Weight: 66g
- Set content (mm) : 3.2*5.5/4*5/6*7/8*9/10*11



Adjustable wrench 150mm

Order code No.	221303
TYPE	WMA-150

- Weight: 140g
- Convenient scale: 150mm. With graduations for convenient use



Nut socket driver

Order code No.	030520
TYPE	D-86-4.5

- Weight: 54g
- Opposite side: 4.5mm
- The nut can be easily tightened by simply fitting the nut into the socket at the tip and rotating the handle.



Nut socket driver

Order code No.	030521
TYPE	D-86-7

- Weight: 63g
- Opposite side: 7mm
- The nut can be easily tightened by simply fitting the nut into the socket at the tip and rotating the handle.

Pipe Cutting Tool



SUS Pipe cutter

Order code No.	101206
TYPE	K-203

- Weight: 215g
- It is easy to operate when cutting cylindrical materials such as metal pipes and PVC pipes, and the material can be cut straight.



Spare blade for pipe cutter

Order code No.	101207
TYPE	K-203-1

- Weight: 3g
- Pipe cutter(K-203) spare blade



Pipe reamer (For copper tubes and stainless tubes)

Order code No.	197173
TYPE	TSR-2

- Weight: 200g
- Applied pipe outer diameter: ϕ 8-35mm
- You can easily remove burrs from the outer and inner surfaces of copper and stainless steel pipes by simply rotating them after cutting.

Quick Chuck Change

Quick Chuck Change Manual

Quick Chuck Change Manual (OM Type)

Tool Changer

Automated Hand Exchange System

Grip

Mini Cylinder

Accessories for Mini Cylinder

Container Cylinders

Accessories for Container Cylinder

Grippers

Rubber Material / Grip Pad

Suction

Suction Cups

Suction Stems

Pad in Pad

Vacuum Gripper

Air Ejector / Filter / Check Valve

Ultra Small Part Take Out

Vacuum Generator Unit

Cut

Air Nipper (Small-Medium)

Air Nipper (Large)

Frame / Module

Jungle Gym

Let's Joint

Rectangular Tube

Base Aluminum Material

Sliding Chuck

Pneumatic Components / Sensors

Pneumatic Components

Sensors / Multi AND Board

PCIO Communication Unit

Lightweight Parts Series

Frame / Section / Resin Cylinders / Pads / Resin Manifolds

By Industry

Logistics-Palletizing/Sheet Metal-Stamping-Metal Fabrication

Assembling Tools

Tool / Jig

Information

Various Products Information



Cutting Tool

Preferred item for EOAT assembling

Cutting Tool



Electronic nippers

Order code No.	310706
TYPE	55S-120

- Weight: 85g ● Total length: 122mm
- Cutting capacity: Iron wire ϕ 0.8mm, Copper wire : ϕ 1.2mm
- Blade type: Thin blade (suitable for cutting thin lines)



Electronic nippers

Order code No.	310695
TYPE	55S-150

- Weight: 150g ● Total length: 155mm
- Cutting capacity: Iron wire ϕ 1.5mm, Copper wire : ϕ 2.6mm
- Blade type: Thin blade (suitable for cutting thin lines)



Diagonal cutting nippers

Order code No.	286129
TYPE	205H-150

- Weight: 225g ● Total length: 168mm
- Cutting capacity: Iron wire ϕ 2.0 mm, Copper wire : ϕ 2.6 mm
- Blade type: Thick blade (suitable for cutting thick lines)



Diagonal cutting nippers

Order code No.	286130
TYPE	205H-175

- Weight: 285g ● Total length: 193mm
- Cutting capacity: Iron wire ϕ 2.0 mm, Copper wire : ϕ 3.0 mm
- Blade type: Thick blade (suitable for cutting thick lines)



High plastic nippers

Order code No.	271846
TYPE	160S-125

- Weight: 90g ● Total length: 131mm
- Cutting capacity: Soft resin ϕ 3.0mm
- Blade type: circular blade (standard blade)



High plastic nippers

Order code No.	271847
TYPE	160S-150

- Weight: 130g ● Total length: 159mm
- Cutting capacity: Soft resin ϕ 5.0mm
- Blade type: circular blade (standard blade)



High plastic nippers

Order code No.	271848
TYPE	160SF-125

- Weight: 90g ● Total length: 131mm
- Cutting capacity: Soft resin ϕ 3.0mm
- Blade type: Flat blade (the entire blade surface fits perfectly on the product)



High plastic nippers

Order code No.	271849
TYPE	160SF-150

- Weight: 130g ● Total length: 159mm
- Cutting capacity: Soft resin ϕ 5.0mm
- Blade type: Flat blade (the entire blade surface fits perfectly on the product)



Miniature plastic cutting nippers

Order code No.	123885
TYPE	M12-125

- Weight: 85g ● Total length: 129mm
- Cutting capacity: Soft resin ϕ 3.0mm
- Blade type: circular blade (standard blade)



Plastic nippers (carbide tipped)

Order code No.	023445
TYPE	CT160F-150

- Weight: 130g ● Total length: 159mm
- Cutting capacity: Soft resin ϕ 5.0mm
- Blade type: Flat blade (the entire blade surface fits perfectly on the product)



Heavy-duty plastic nippers

Order code No.	350363
TYPE	99-175

- Weight: 260g ● Total length: 188mm
- Cutting capacity: Soft resin ϕ 9.0mm
- Blade type: circular blade (standard blade)



Heavy-duty plastic nippers

Order code No.	350364
TYPE	99-200

- Weight: 340g ● Total length: 216mm
- Cutting capacity: Soft resin ϕ 10.0mm
- Blade type: circular blade (standard blade)



Plastic nippers (Limited edition)

Order code No.	187586
TYPE	SPN130F

- Weight: 110g ● Total length: 130mm
- Cutting capacity: Soft resin ϕ 5.0mm
- Blade type: Flat blade (the entire blade surface fits perfectly on the product)



Compound cutting nippers

Order code No.	221473
TYPE	WA1000F-160

- Weight: 185g ● Total length: 156mm
- Cutting capacity: Soft resin ϕ 5.0mm
- Blade shape: circular blade (standard blade)



End cutting plastic nippers

Order code No.	286133
TYPE	25EF-145

- Weight: 125g ● Total length: 144mm
- Cutting capacity: Soft resin ϕ 3.0mm
- Blade type: Kuikiri type



Tip edge nippers

Order code No.	261888
TYPE	02SP-125

- Weight: 70g ● Total length: 122mm
- Cutting capacity: Soft resin ϕ 2.0mm
- Blade type: circular blade (standard blade)



End cutting plastic nippers

Order code No.	286131
TYPE	24EF-115

- Weight: 75g ● Total length: 119mm
- Cutting capacity: Soft resin ϕ 3.0mm
- Blade type: Kuikiri type



Peeling nippers

Order code No.	387221
TYPE	33S-125

- Weight: 90g ● Total length: 131mm
- Cutting capacity: Iron wire ϕ 0.8mm, Copper wire : ϕ 1.2mm
- Blade shape: Flat blade (the entire blade surface fits perfectly on the product)
- Thin blade (suitable for cutting thin lines)



Peeling nippers

Order code No.	387222
TYPE	33S-150

- Weight: 125g ● Total length: 158mm
- Cutting capacity: Iron wire ϕ 1.5mm, Copper wire : ϕ 2.6mm
- Blade shape: Flat blade (the entire blade surface fits perfectly on the product)
- Thin blade (suitable for cutting thin lines)



Cutting Tool / Cutter / Deburring

Preferred item for EOAT assembling

Cutting Tool (Heat nippers)



Heat nippers

Order code No.	073320
TYPE	HT180DX

- Weight: 310g
- Total length: 190mm
- Cutting capacity: Soft resin ϕ 4.0mm
- Blade shape: circular blade (standard blade)
- For small diameter resin/with spring
- Maximum temperature of the blade: 160°C



Heater

Order code No.	221472
TYPE	W19

- Weight: 19g
- Replacement heater for HT180DX.



Transformer

Order code No.	197348
TYPE	TRF100D

- Weight: 2,000g
- Input voltage: AC100V (power cord 1.9m)
- Output voltage: AC26V
- Capacity: 32VA
- Temperature measurement method: Thermistor method
- Digital display
- Used for HT180DX heat nipper (with sensor).

Cutter / Deburring



Top sheet cutter

Order code No.	286172
TYPE	209B

- Weight: 17.5g
- Ideal for peeling off EP sponge sheet coatings.



Work finisher (deburbing cutter / large)

Order code No.	221474
TYPE	WF-1540

- Weight: 56g
- Total length: 175mm
- Blade length: 40mm
- Blade material: Ceramic



Work finisher (deburbing cutter / small)

Order code No.	221475
TYPE	WF-620

- Weight: 20g
- Total length: 133mm
- Blade length: 40mm
- Blade material: Ceramic



Work finisher (micro finish T set)

Order code No.	123923
TYPE	MFC2140

- Weight: 36g
- Blade material: Ceramic
- Blade tip: T type



Work finisher blade (micro finish T/2 pcs)

Order code No.	123925
TYPE	MFC2001

- Weight: 13g
- Blade material: Ceramic
- Blade tip: T type



Work finisher blade (micro finish T/5 pcs)

Order code No.	123927
TYPE	MFC3001

- Weight: 30g
- Blade material: Ceramic
- Blade tip: T type



Work finisher (micro finish R set)

Order code No.	123924
TYPE	MFC2150

- Weight: 36g
- Blade material: Ceramic
- Blade tip: R type



Work finisher blade (micro finish R/2 pcs)

Order code No.	123926
TYPE	MFC2002

- Weight: 13g
- Blade material: Ceramic
- Blade tip: R type



Work finisher blade (micro finish R/5 pcs)

Order code No.	123928
TYPE	MFC3002

- Weight: 30g
- Blade material: Ceramic
- Blade tip: R type

Quick Chuck Change

Quick Chuck Change Manual

Quick Chuck Change Manual (OM Type)

Tool Changer

Automated Hand Exchange System

Grip

Mini Cylinder

Accessories for Mini Cylinder

Container Cylinders

Accessories for Container Cylinder

Grippers

Rubber Material / Grip Pad

Suction

Suction Cups

Suction Stems

Pad in Pad

Vacuum Gripper

Air Ejector / Filter / Check Valve

Ultra Small Part Take Out

Vacuum Generator Unit

Cut

Air Nipper (Small-Medium)

Air Nipper (Large)

Frame / Module

Jungle Gym

Let's Joint

Rectangular Tube

Base Aluminum Material

Sliding Chuck

Pneumatic Components / Sensors

Pneumatic Components

Sensors / Multi AND Board

PCIO Communication Unit

Lightweight Parts Series

Frame / Section / Resin Cylinders / Pads / Resin Manifolds

By Industry

Logistics-Palletizing/Sheet Metal-Stamping-Metal Fabrication

Assembling Tools

Tool / Jig

Information

Various Products Information



Wiring Tool / Pliers Tool

Preferred item for EOAT assembling

Wiring Tool



Wire strippers

Order code No.	384142
TYPE	3000A

- Weight: 350g
- Completely strip the wire quickly with one hand operation.



Mini wire stripper

Order code No.	211157
TYPE	VST25

- Weight: 295g
- Capable of stripping wires with a core diameter of $\phi 0.25$ to $\phi 2.6$ mm without any adjustment.
- Cutting range: copper wire $\phi 2.6$ mm



Manual one-hand type crimping tool

Order code No.	002364
TYPE	AK15A

- Weight: 400g
- For copper wire bare crimp terminals/bare crimp sleeves (P.B)



Switch checker

Order code No.	042058
TYPE	E39-VA

- Weight: 20g
- Power supply voltage: DC18V (2 9V dry batteries)
- Handy power supply with built-in battery. (Sensor dedicated power supply)
- Operation of various sensors can be confirmed by buzzer sound and LED
- With battery low detection function



Ceramic heater soldering iron

Order code No.	054350
TYPE	FX600-02

- Weight: 61g
- Perfect for soldering electronic parts.
- Adjustable from 200 to 500°C
- Built-in temperature controller in the grip. You can easily set the temperature by simply turning the dial.



Soldering Station (with sponge)

Order code No.	054351
TYPE	FH300-81

- Weight: 502g
- Base size(mm): $\phi 85 \times D140$



Lead free solder

Order code No.	073361
TYPE	HS-304

- Weight: 100g
- Solder: linear 1mm



Hot glue gun

Order code No.	072955
TYPE	HB-80

- Weight: 220g
- Optimum for assembly work such as electronic parts holding.



Hot glue

Order code No.	072956
TYPE	HB-100S

- Weight: 100g
- Hot glue (HB-80) exclusive



Aluminum alloy vise

Order code No.	197174
TYPE	TAB-70

- Weight: 1,098g
- size(mm) : $188 \times 158 \times 155$. Mouth width: 70mm, Mouth opening: 60mm

Pliers Tool



Long nose side cutting pliers

Order code No.	271844
TYPE	105-150

- Weight: 140g
- Cutting capacity: Iron wire $\phi 1.5$ mm, Copper wire : 2.6 mm
- Total length: 163mm



Long nose side cutting pliers

Order code No.	271845
TYPE	105-175

- Weight: 185g
- Cutting capacity: Iron wire $\phi 2.0$ mm, Copper wire : 3.0 mm
- Total length: 191mm



Duck bill pliers

Order code No.	286132
TYPE	2500-200

- Weight: 205g
- Tip shape: Height 7.0mm* Width 5.0mm : Jagged cross eyes
- Total length: 200mm



Screw pliers

Order code No.	250266
TYPE	ZA185

- Weight: 280g
- Total length: 195mm
- Application: Suitable for removing crushed and rusted screws.



Tube / Duct Cutting Tool / Measuring Tool

Preferred item for EOAT assembling

Tube / Duct Cutting Tool



Tube cutters

Order code No.	190508
TYPE	TK-1

- Weight: 154g
- Applicable tube material: soft plastic tube, nylon, polyurethane, etc.)
- Applicable tube outer diameter: 13mm or less



Merry cutters

Order code No.	187587
TYPE	SX10-210

- Weight: 380g
- Tip blade opening: 39mm
- Blade length: 65mm
- Straight cut.
- Suitable for cutting all kinds of soft materials.



Merry cutters

Order code No.	187589
TYPE	SX5-195

- Weight: 170g
- Tip blade opening: 24mm
- Blade length: 53mm
- Straight cut.
- Suitable for cutting all kinds of soft materials.



Tube cutters

Order code No.	023446
TYPE	CX5

- Weight: 170g
- Tip blade opening: 22mm
- Blade length: 53mm
- A cutter specialized for cutting hoses.



Duct cutters

Order code No.	187588
TYPE	SX15-210

- Weight: 395g
- Tip blade opening: 37mm
- Blade length: 65mm
- For cutting communication moldings and cutting ducts.



Moulding cutters

Order code No.	030530
TYPE	DX80-255

- Weight: 470g
- Tip blade opening: 85mm
- Blade length: 92mm
- Can cut wiring ducts up to 80mm wide.



Duct plastic nippers

Order code No.	030528
TYPE	DK65-250

- Weight: 505g
- Total length: 260mm
- Blade shape: Circular blade (standard blade)/ Resin-specific blade
- Length 65.0mm, thickness 21.5mm
- Can cut wiring ducts up to 80mm wide.
- Easy to open the duct.
- Can also be used to cut gates in deep areas of resin molded products.



Duct cutters (Fixed appliance)

Order code No.	197347
TYPE	TDC100

- Weight: 8,400g
- Tip blade opening: 25mm
- Blade length: 110mm
- Can cut wiring ducts up to 100mm wide.



DIN rail round nippers

Order code No.	030529
TYPE	DRN4

- Weight: 350g
- Total length: 200mm
- For finishing corners of DIN rails.
- Aluminum DIN rails can have their corner radius processed smoothly.



Ratchet style tube cutter

Order code No.	197172
TYPE	TTCR-322T

- Weight: 270g
- Coping with copper, aluminum, brass, PVC pipe. Because of the automatic transport function, it will make clean cut surface.
- Stainless steel pipes cannot be cut.
- Replacement blade for Ratchet style tube cutter



Replacement blade for Ratchet style tube cutter

Order code No.	061138
TYPE	GFC-15NT

- Weight: 3g
- The replacement blade for tube cutter (TTCR-322T) only.
- Stainless steel pipes cannot be cut.

Measuring Tool



Straight Scale (150mm)

Order code No.	271792
TYPE	13005

- Weight: 10g
- First class JIS specification (Non Calibration update)
- Shinwa make



Straight Scale (300mm)

Order code No.	271793
TYPE	13013

- Weight: 65g
- First class JIS specification (Non Calibration update)
- Shinwa make



Tough gear HG (Major 5.5m)

Order code No.	341087
TYPE	80821

- Weight: 329g
- First class JIS specification (Non Calibration update)
- Origin 0 point correction slide hook equipped (Shinwa)
- Protect the body with shock absorption protector.

Quick Chuck Change

Quick Chuck Change Manual

Quick Chuck Change Manual (OM Type)

Tool Changer

Automated Hand Exchange System

Grip

Mini Cylinder

Accessories for Mini Cylinder

Container Cylinders

Accessories for Container Cylinder

Grippers

Rubber Material / Grip Pad

Suction

Suction Cups

Suction Stems

Pad in Pad

Vacuum Gripper

Air Ejector / Filter / Check Valve

Ultra Small Part Take Out

Vacuum Generator Unit

Cut

Air Nipper (Small-Medium)

Air Nipper (Large)

Frame / Module

Jungle Gym

Let's Joint

Rectangular Tube

Base Aluminum Material

Sliding Chuck

Pneumatic Components / Sensors

Pneumatic Components

Sensors / Multi AND Board

PCIO Communication Unit

Lightweight Parts Series

Frame / Section / Resin Cylinders / Pads / Resin Manifolds

By Industry

Logistics-Palletizing / Sheet Metal-Stamping- Metal Fabrication

Assembling Tools

Tool / Jig

Information

Various Products Information



Adhesives / Adjustment Tool / Jig / Static Solutions Parts

Preferred item for EOAT assembling

Adhesives



Adhesive (Sponge Pads)

Order code No.	371759
TYPE	Adhesive Q 50G Clear #4888

- NET: 50ml
- Silicon bond
- Please use it to bond silicone pads and sponges.



Adhesive Cemedine 20ML

Order code No.	371765
TYPE	AX-038 (Super X • 20TM)

- NET: 20ml
- Please use it for adhering rubber plates.



Adhesive Cemedine 135ML

Order code No.	002481
TYPE	AX-250 (Super X 8008 • 135ML)

- NET: 135ml
- If you need a Material Safety Data Sheet (SDS), please purchase it.
- Please use it for adhering rubber plates.

Adjusting Tool



Combination hammer

Order code No.	200263
TYPE	UD7-10

- Weight: 730g
- Combination hammer is made of two kinds of materials, steel and resin.



Mounting pitch fixing plate

Order code No.	042060
TYPE	EINS JIG TYPE J-01

- Weight: 140g
- Mounting pitch(20×50mm) easy to adjust position
- Hand mounting pitch can be adjusted easily.



EOAT assembly stand

Order code No.	042059
TYPE	EINS JIG TYPE C-01

- Weight: 1100g
- Adjustable within 40mm up and down
- The stand is convenient for wiring and piping adjustment work in assembly process.

Static Solutions Parts



Ionizing Fan

Order code No.	054363
TYPE	F-120R

- Weight: 900g
- Ion generation method: Piezoelectric high frequency AC corona discharge type
- Static neutralization time: 1.5 seconds or less
- Ion balance: within $\pm 10V$
- Individual packaging size: 295 x 225 x 115



Cross-Flow Ionizing Fan

Order code No.	023455
TYPE	CF-600

- Weight: 4600g
- Thin and wide static electricity removal fan.
- Ion generation method: AC (20kHz) corona discharge type
- Static neutralization time: 1.5 seconds or less
- Ion balance: within $\pm 10V$
- Individual packaging size: 645×290×230



Pneu-Power Ion Gun

Order code No.	061261
TYPE	G-9

- Weight: 470g
- A handy static electricity removal power tool.
- Static electricity can be removed using only compressed air.
- Ion generation method: AC high frequency corona discharge type
- Static neutralization time: 1 second or less
- Ion balance: $\pm 30V$
- Individual packaging size: 294×250×63



Electrostatic Field Meter

Order code No.	042120
TYPE	Eye-02

- Weight: 200g
- Unseen static electricity can be measured using this useful tool.
- Ion balance: 0 ~ $\pm 200V$
- Individual packaging size: 195 x 115 x 80
- Power supply: 9V battery (006P type)
- Measurement range: Charged potential ± 0 to $\pm 1.50kV$ (LO range), ± 1.0 to $\pm 22.0kV$ (HI range)
- Measurement distance: 25mm $\pm$ 0.5mm (between main body and charged object)